इचलकरंजी शहर महानगरपालिका संगणक विभाग जाहिर प्रकटन

इचलकरंजी महानगरपालिका संगणक विभागाकडील इचलकरंजी महानगरपालिकेसाठी Android based tablet integrated with biometric machine खरेदी पुरविणेकामी व्यक्ती / संस्थांकडून दरपत्रक / कोटेशन मागविणेत येत आहे.

तरी आपल्या स्वाक्षरीसह सिलबंद दरपत्रक / कोटेशन सर्व करासहीत दि. २७ /०८ /२०२४ पासून ते दि.०२ /०९/२०२४ अखेर सकाळी ११.०० वाजेपर्यंत महानगरपालिकेच्या बारनिशी विभागाकडे देणेची आहेत. प्राप्त सिलबंद दरपत्रक / कोटेशन शक्यतो दि.०२ /०९/२०२४ अखेर दुपारी ४.०० वाजेपर्यंत उघडणेत येतील.दरपत्रक देताना GST registration,pan card,aadhar card संबधीत कंत्राटदारांनी द्यावी.

दरांचा तपशिल खालिलप्रमाणे.खालील तक्त्यात निविदा दर स्पष्ट लिहून कंत्राटदारांनी साक्षांकीत केलेले असावे व सोबत GST registration,pan card,aadhar card व संबधीत कामाचा समतुल्य अनुभव जोडावा

अ.क्र.	तपशील	एकूण संख्या	एस्टीमेट दर	द्यावयाचे द
1.00	Android based tablet integrated with biometric	7	४९,९७४/-	
2.00	Android based tablet integrated with biometric with iris	२	७५,६००/-	
		एकून किमत	१,२५,५७४/-	

प्र.सिस्टीम मॅनेजर

इचलकरंजी महानगरपालिका

सोबत:- सोबत संबधीत कामाचे specification .

काम क्र १.Android based tablet integrated with biometric

व्यक्तिकशमन्त्रम् विशेक्त्वा

Screen Size (Inches)	6≤N<7
Screen Type	capacitive Touch Screen with 16 million colours
Screen Resolution (Pixel)	1280 x 720
Processor Speed (GHz)	1.5 and blue stroffmed equal breaking of 15000
RAM (GB) peed y licensiened be enganement places (GD) MAR	2 Introduced and indicated and the second of
Internal storage (GB)	16
Storage Expandibility upto (Through micro SD Card) (GB)	32
Number of USB Port	1 istensifi primati primati primati
Number of Micro USB Port	1 แกะ y สมเคลียงปี อูกเลลสิ
Front Camera (Mega Pixel)	2 ভূমনিকৰ সভাই-কাল্যেই ১৯ বন্ধুচন
Sim Card Slot (Number)	Transferra in the angular amoving the color of the color and of the Topolor
Battery Back up (Minimum) (Minutes)	600 राज्यात्राहरू हाले. एवंचितारस्य साटचे हाले. तथा पूर्णांस्टाहरू आंतास्त्राहरू
Network connectivity	LAN + Wifi 802.11b/g/n both
USB Cable Connectivity	Standard + Micro Both
Data Support	4G/LTE management appreciation and RHOE
Internal Speakers	Yes ((3 neagns) agreed equipmosphist pullers qu
Orientation of the Tablet in Casing	Vertical (3 eargerd) egend and and regards
iometric Attendance System Specification	(SP) 2 (1856) y 5 (2 control of minima englishment
Queue Throughput (Number of people to mark attendance within one minute)	60
Operational Endurance	24 x 7 dal huntive 2 Day 8 mail etter inidus novive 3
STQC Certified Biometric Identification Device	Single Fingerprint Scanner
STQC certified Single Finger-Print / Iris biometric device for Aadhar Authentication with driver, in built template extractor software/SDK(mandatorily with license, if required)	Yes

STQC Certificate number	On Request	
STQC Certificate valid upto	On Request	Scroen Size (Inches)
UIDAI Registered Device Certification available	Yes	Seroon Type
UIDAI Registered Device Certificate number	On Request	Servera Resolution (Plant)
UIDAI Registered Device Certificate valid upto	On Request	(590) 50050 102203010
Position of Biometric Scanner in the System	fingerprint scanner should be support ease of usage for be posture of the users	e ergonomically placed to be analysis iometric attendance in standing
Casing	gli micro 80 Cerd) (GB)	Storage Hacondibility upto (Through
Device Casing Material	Other Tough Material	Number of USB Ports
Casing Thickness (mm)	5	Namber of Micro 1988 Port
Ingress Protection Rating	IP 54	Front Cassors (Mega Pixel)
Drop Test Compliance for Casing from a height of 1 meters	Yes	Similard Slot (Number)
Separate Charging Non USB Port Availabilty with AC Adaptor	Yes	Raffery Book to (Winimum) (Ellev
Miscellaneous		Notimel connectivity
Micro USB host cable die 8 ctarW + bishnet8	Yes	USE Cable Connecti - My
ROHS Compliance Certificate	Yes	Sets Support
Operating Temperature Range (Degree C)	10	Internal Speatiers
Storage Temperature Range (Degree C)	60	Orientation of the Tablet in Cash
Operating Humidity (RH) (%)	90 molfication 00	Hometric Attendance System I
Type Test Certificate Covering all parameters and Environmental tests from STQC certified lab	Yes	Gnaue Thronghout (Number of excitain one minute)

A CHA

प्राचिक्या प्र. सिस्टीम मॅनेजर इचलकरंजी महानगरपालिका

काम क्र २.Android based tablet integrated with biometric with iris

Tablet Specifications

Screen Size (Inches)	8 ≤ N	
Ingetplat scattered blackered together	restry all an area with the	Position of the
enantaine in standingposture of	ve Touch Screen	
creen Resolution (Pixel)	1280 x 720	
Processor Speed (GHz)	1.3	gmead
RAM (GB)	2 Inhate M. a	akullen eta
nternal storage (GB)	16 (mm) seen/s	
Storage Expandibility upto (Through micro SD Card) (GB)	32 poince notices	
Number of USB Port	combance for Gastrin from a height of the	
Number of Micro USB Port	h. ng Mon USB Per, Availabilly p th AC	
Front Camera (Mega Pixel)	5	
Sim Card Slot (Number)	2	
Battery Back up (Minimum) (Minutes)	600	
Network connectivity	LAN + Wifi 802.11b/g/n both	
JSB Cable Connectivity	Standard + Micro Both	godan gC
Data Support	4G/LTE in the DOTS most easel inco	
nternal Speakers	Yes	77.977
Orientation of the Tablet in Casing	Vertical	, MARIE - 2017 15
Queue Throughput (Number of people to mark attendance within one minute)	60 (meV) yinsireW ii	On Sile O
Operational Endurance	24 x 7	
TQC Certified Biometric Identification Device	Iris Scanner	



TW ?. Android based lablet integrated with Islamatric with the

Position of Biometric Scanner in the System

fingerprint scanner should be ergonomically placed to support ease of usage for biometric attendance in standingposture of the users

		Casing	
	Thick Plastic	Device Casing Material	
Internal storage (GB)	5	Casing Thickness (mm)	
	(b) 6 (IP 54 years) riguo	Ingress Protection Rating	
Number of USB Fort	Yes	Drop Test Compliance for Casing from a height of 1 meters	
Number of Micro USB Pexi	Yes	Separate Charging Non USB Port Availability with AC Adaptor	
Front Camera (Moga Pixel)		Miscellaneous	
	Yes	Micro USB host cable	
	Yes	ROHS Compliance Certificate	
al) (muminit) qui Assa (meta si	0	Operating Temperature Range (Degree C)	
Wetwork competitivity	65	Storage Temperature Range (Degree C)	
USP Cable Connectivity	85	Operating Humidity (RH) (%) and the anshort a	
Data Support	No	Type Test Certificate Covering all parameters and Environmental tests from STQC certified lab	
Internal Speakers	na	If Yes, TTC number and Date	
Orientation of the Tablet in Ca	na	If Yes, Name of the Lab	
o reducit (North Property of	na	If Yes, Address of the Lab	
within one minute)	1	On Site OEM Warranty (Year)	

control of p